



PIONEER

EQUIPMENTS



Pioneer

Commercial Equipments

Commercial equipments manufacturer,
Sale's & Services

Fascinating Statements

FOR YOUR LIFESTYLE





4 BURNER RANGE WITH OVEN



3 BURNER RANGE



2 BURNER RANGE

ITEM CODE	DIMENSIONS	BURNERS	POWER CONSUMPTION
VE-102H	36" x 36" x 36" + 6"	T-22-65000BTU/HR	4.0 KW
VE-102HA	30" x 30" x 36" + 6"	T-22-65000BTU/HR	3.0 KW

ITEM CODE	DIMENSIONS	BURNERS	PS RING
VE-109HA	72" x 30" x 34"	T35/G11-70000 BTU/HR	18" x 18"
VE-109H	66" x 24" x 34"	T35/G11-70000 BTU/HR	16" x 16"

ITEM CODE	DIMENSIONS	BURNERS	PS RING
VE-118H	54" x 30" x 34"	T35/G11-70000 BTU/HR	18" x 18"
VE-118HA	48" x 24" x 34"	T35/G11-70000 BTU/HR	16" x 16"



SINGLE BURNER



CHINESE RANGE



DOME TYPE CHINESE RANGE

ITEM CODE	DIMENSIONS	BURNERS	PS RING
VE-103H	24" x 24" x 24"	T35-70000BTU/HR	18" x 16"
VE-103HA	30" x 30" x 24"	T35-70000BTU/HR	18" x 18"

ITEM CODE	DIMENSIONS	BURNERS	PS RING
VE-105HA	72" x 30" x 34" + 18"	T35/T22-70000BTU/HR	DIA 14"/10"
VE-105H	66" x 27" x 34" + 18"	T35/T22-70000BTU/HR	DIA 12"/9"

ITEM CODE	DIMENSIONS	BURNERS	PS RING
VE-111H	72" x 30" x 34" + 18"	T35/M-35-70000 BTU/HR	DIA 14"/12"
VE-111HA	54" x 30" x 34" + 18"	T35/M-35-70000 BTU/HR	DIA 14"

reflecting and adapting contemporary trends for professional use



CHAPATI PLATE WITH PUFFER



GRIDDLE PLATE

ITEM CODE	DIMENSIONS	BURNERS	PUFFER
VE-104HA	72" x 24" x 34"	RV-450-70,000 BTU/HR	15" X 24"
VE-104H	48" x 24" x 34"	RV-450-70,000 BTU/HR	12" X 20"

ITEM CODE	DIMENSIONS	BURNERS	TYPE
VE-115H	36" x 27" x 34" + 4"	RV-450-70000BTU/HR	STANDING
VE-115HA	30" x 27" x 34" + 4"	RV-450-70000BTU/HR	MOBILE

* Sizes can be customised according to the customer requirement.



Pioneer

Commercial Equipments

Commercial equipments manufacturer,
Sale's & Services



DOUBLE DEEP FAT FRYER WITH STORAGE



TABLE TOP DOUBLE DEEP FAT FRYER

ITEM CODE	DIMENSIONS	TANK CAPACITY	POWER CONSUMPTION
VE-119H	36" x 24" x 34" + 6"	12 ltrs. each	4.0 KW/HR
VE-119HA	30" x 24" x 34" + 6"	8 ltrs. each	3.0 KW/HR

ITEM CODE	DIMENSIONS	TANK CAPACITY	POWER CONSUMPTION
VE-106H	36" x 24" x 12" + 6"	12 ltrs. each	4.0 KW/HR
VE-106HA	30" x 24" x 12" + 6"	8 ltrs. each	3.0 KW/HR



DEEP FAT FRYER



TABLE TOP SINGLE FRYER



SALAMANDER


ITEM CODE	DIMENSIONS	POWER CONSUMPTION	TANK CAPACITY
VE-118H	24" x 30" x 34" + 12"	3.0 KW/HR	20 ltrs.
VE-118HA	24" x 24" x 34" + 12"	3.0 KW/HR	15 ltrs.

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	TANK CAPACITY
VE-113H	12" x 18" x 10"	2.0 KW/HR	10 ltrs.
VE-113HA	10" x 15" x 10"	1.5 KW/HR	7 ltrs.

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	CAPACITY
VE-107H	24" x 18" x 20"	3 KW/HR	12 slices
VE-107HA	30" x 20" x 20"	4 KW/HR	24 slices



PIZZA OVEN



HOT CASE COUNTER



DOSA PLATE

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	PIZZA CAPACITY
VE-108H	30" x 24" x 20"	3.0 KW/HR	DIA 9" / 4 Pcs.
VE-108HA	36" x 24" x 20"	4.0 KW/HR	DIA 9" / 6 Pcs.

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	CAPACITY
VE-112H	48" x 24" x 34" + 6"	2.0 KW/HR	250 ltrs.
VE-112HA	54" x 24" x 60" + 6"	3.0 KW/HR	600 ltrs.

ITEM CODE	DIMENSIONS	BURNERS	CAPACITY
VE-120H	48" x 24" x 34"	RV-450-70000BTU/HR	3 dosa
VE-120HA	60" x 30" x 34"	RV-450-70000BTU/HR	5 dosa

* Sizes can be customized according to the customer requirement.



TABLE TOP SINGLE BURNER



TABLE TOP TAWA TOP



TABLE TOP CHINESE RANGE

ITEM CODE	DIMENSIONS	BURNERS	PS RING
VE-706H	20" X 20" X 12"	T-35-70000BTU/HR	12" X 12"
VE-706HA	18" X 18" X 12"	T-35-70000BTU/HR	12" X 12"

ITEM CODE	DIMENSIONS	BURNERS	TAWA
VE-705H	20" X 20" X 15"	G-11-70000BTU/HR	DIA 20"
VE-705HA	18" X 18" X 15"	G-11-70000BTU/HR	DIA 18"

ITEM CODE	DIMENSIONS	BURNERS	PS RING
VE-707H	20" X 20" X 15"	G-11-70000BTU/HR	DIA 12"
VE-707HA	18" X 18" X 15"	G-11-70000BTU/HR	DIA 12"



TABLE TOP BAIN MARIE



MOBILE HOT BAIN MARIE



HOT BAIN MARIE

ITEM CODE	DIMENSIONS	GN PANS	POWER CONSUMPTION
VE-121H	36" x 18" x 10"	1/3 X 4" - 4Pcs.	1.5 KW
VE-121HA	60" x 18" x 10"	1/2 X 4" - 4Pcs.	2.0 KW

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	GN PANS
VE-117H	42" x 24" x 38"	2.0 KW/HR	1/2 X 4" - 3Pcs.
VE-117HA	48" x 30" x 38"	2.0 KW/HR	1/3 X 4" - 9Pcs.

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	GN PANS
VE-114H	30" x 27" x 34"	1.5 KW/HR	1/6 X 4" - 9Pcs.
VE-114HA	72" x 27" x 34"	3.0 KW/HR	1/1 X 4" - 5Pcs.

reflecting and adapting contemporary trends for professional use



TABLE TOP HOT BAIN MARIE

ITEM CODE	DIMENSIONS	GN PANS	POWER CONSUMPTION
VE-708H	48" x 18" x 12"	1/3 X 4" - 4 Pcs.	2.0 KW
VE-708HA	60" x 18" x 12"	1/3 X 4" - 5 Pcs.	3.0 KW

* Sizes can be customized according to the customer requirement.



Pioneer

Commercial Equipments

Commercial equipments manufacturer,
Sale's & Services




TILTING BULK COOKER



TILTING-BRAT-PAN

ITEM CODE	DIMENSIONS	CAPACITY	BURNERS
VE-701HA	36" x 30" x 42"	80 ltrs.	M-IV 70,000 BTU/HR
VE-701HB	42" x 36" x 48"	120 ltrs.	M-V 80,000 BTU/HR
VE-701HC	48" x 36" x 48"	180 ltrs.	M-V 80,000 BTU/HR


ITEM CODE	DIMENSIONS	CAPACITY	BURNERS
VE-704HA	36" x 30" x 42"	80 ltrs.	M-IV 70,000 BTU/HR
VE-704HB	42" x 36" x 48"	120 ltrs.	M-V 80,000 BTU/HR
VE-704HC	48" x 36" x 48"	160 ltrs.	M-V 80,000 BTU/HR



MILK BOILER Also available in LPG operated



TEA BOILER Also available in LPG operated



IDLY STEAMER


ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
VE-122H	DIA 20" x 36"	50 ltrs.	2.0 KW
VE-122HA	DIA 22" x 42"	75 ltrs.	2.5 KW
VE-122HB	DIA 24" x 48"	100 ltrs.	3.0 KW

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
VE-123H	DIA 20" x 36"	50 ltrs.	2.0 KW
VE-123HA	DIA 22" x 42"	75 ltrs.	2.5 KW
VE-123HB	DIA 24" x 48"	100 ltrs.	3.0 KW

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
VE-124H	20" x 20" x 30"	54 idlys	2.0 KW
VE-124HA	36" x 20" x 48"	108 idlys	4.0 KW
VE-124HB	52" x 20" x 48"	162 idlys	6.0 KW



HOT FOOD SERVING TROLLEY



SANDWICH GRILLER



MOBILE BAR-BE-QUE

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
VE-703HA	36" x 24" x 48"	34 trays	1.0 KW/HR
VE-703HB	48" x 30" x 48"	68 trays	1.5 KW/HR

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
VE-125H	27" x 12" x 15"	DOUBLE	4.0 KW
VE-125HA	14" x 12" x 15"	SINGLE	2.0 KW

ITEM CODE	DIMENSIONS	FUEL
VE-110H	54" x 24" x 36"	Coal/Gas
VE-110HA	36" x 24" x 36"	Coal/Gas

* Sizes can be customized according to the customer requirement.



SINGLE DECK BAKING OVEN

Also available in LPG operated



THREE DECK BAKING OVEN

Also available in LPG operated



TANDOOR

ITEM CODE	DIMENSIONS	CAPACITY	TRAY SIZE	POWER CONSUMPTION
VE-126H	48" x 30" x 30"	02 trays	600 x 400mm	5.0 KW
VE-126HA	66" x 42" x 30"	04 trays	600 x 400mm	9.0 KW

ITEM CODE	DIMENSIONS	CAPACITY	TRAY SIZE	POWER CONSUMPTION
VE-127H	66" x 42" x 60"	12 trays	600 x 400mm	27 KW
VE-127HA	54" x 42" x 60"	10 trays	600 x 400mm	23 KW

ITEM CODE	DIMENSIONS	FUEL	MOUTH DIA
VE-702HA	30" x 30" x 36"	Coal/Gas	DIA 13"
VE-702HB	36" x 36" x 36"	Coal/Gas	DIA 15"



PLATE WARMER

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
VE-128H	36" x 20" x 42"	100 plates	2.0 KW
VE-128HA	20" x 20" x 42"	50 plates	1.0 KW



CHAPATTI MAKING MACHINE

reflecting and adapting contemporary trends for professional use

ITEM CODE	VE-129
DIMENSIONS (MM)	1650x1150x1500
CAPACITY	1000 chapattis/Hrs.
GAS CONSUMPTION	1.25 TO 1.75 KG/Hrs.
POWER	1.15 KW/Hrs.
WEIGHT	300 KG

LPG CONSUMPTION	BY MACHINE	MANUAL
5000 chapatti/day	7.5 kgs.	22.50 kgs

SAVING CHART

MAN POWER	BY MACHINE	MANUAL
5000 chapatti/day	2 man	6 man

* Sizes can be customized according to the customer requirement.



PANTRY FRIDGE

- Best cold storage technology which preserves food flavor & ten mizzas.
- Three Perforated Bottom drawers are provided.
- SS GN Pans with lids are provided on the top of the refrigerator to store mizzas.
- 20 SWG stainless steel exterior, 22 SWG stainless steel interior.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- Digital temperature controller is provided in the unit.
- Equipped with castors, also available in adjustable leveling legs.

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION	COMPRESSORS	TEMPERATURE RANGE *	GN PANS
VIE-512	72" x 27" x 34" + 8"	475 Ltrs.	675 Watts	Copeland-Kirloskar/Tecumseh	0°C to 10°C	1/6 x 4" - 10pc"

- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two number of overhead shelves are provided for easy pick-up.



UNDER COUNTER REFRIGERATOR

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION	COMPRESSOR	TEMPERATURE RANGE *
VIE-509C	60" x 27" x 34" + 12" + 18"	300 Ltrs.	570 Watts	Copeland-Kirloskar/Tecumseh	0°C to 10°C



UNDER COUNTER BAR CHILLER

- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two glass vacuum doors are provided for product display.
- Extra space provided for storage of ice bags.

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION	COMPRESSOR	TEMPERATURE RANGE *
VIE-501C	72" x 30" x 34" + 6"	450 ltrs.	680 Watts	Copeland-Kirloskar/Tecumseh	0°C to 10°C

AVAILABLE IN BOTH FORCED DRAFT/STATIC COOLING

* Sizes can be customized according to the customer requirement.

* Temperature Range May Vary Depending on the External Conditions.



GLASS DOOR REFRIGERATOR

- Bold looking stainless steel body which ensures its durability.
- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolytate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two number of vacume glass doors are provided for clear display.

ITEM CODE	VIE-514
DIMENSIONS	50" X 30" X 78"
CAPACITY	950 Ltrs.
POWER CONSUMPTION	725 Watts
COMPRESSOR	Copeland kirloskar/tecumseh
TEMPERATURE*	+ 10°C to - 10°C

- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolytate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two number of vacume glass doors are provided for the display.
- Two number of puff insulated s. s. doors for storage purpose.

ITEM CODE	VIE-506C
DIMENSIONS	48" X 30" X 84"
CAPACITY	1000 Ltrs.
POWER CONSUMPTION	680 Watts
COMPRESSOR	Copeland kirloskar/tecumseh
TEMPERATURE*	0°C to 10°C



FOUR DOOR REFRIGERATOR

* Temperature Range May Vary Depending on the External Conditions.

* Sizes can be customised according to the customer requirement.



TWO DOOR REFRIGERATOR

- Bold looking stainless steel body which ensures its durability.
- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two number of puff insulated s. s. doors.

ITEM CODE	VIE-513
DIMENSIONS	30" X 30" X 84"
CAPACITY	600 Ltrs.
POWER CONSUMPTION	680 Watts
COMPRESSOR	Copeland-kirloskar/Tecumseh
TEMPERATURE*	0°C to 10°C



FOUR DOOR REFRIGERATOR

- Four number of puff insulated s. s. doors are provided.
- Bold looking stainless steel body which ensures its durability.
- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.

ITEM CODE	VIE-515
DIMENSIONS	48" X 30" X 84"
CAPACITY	1100 Ltrs.
POWER CONSUMPTION	725 Watts
COMPRESSOR	Copeland-kirloskar/Tecumseh
TEMPERATURE*	0°C to 10°C



SIX DOOR REFRIGERATOR

- Bold looking stainless steel body which ensures its durability.
- Six number of puff insulated s. s. doors are provided.
- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.

- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.

ITEM CODE	CAPACITY	DIMENSIONS
VIE-516	1800 LTR	78" X 30" X 84"
POWER CONSUMPTION	COMPRESSOR	TEMPERATURE*
1200 Watts	Copeland-kirloskar/Tecumseh	0°C to 10°C



WATER COOLER


- Elegant design for restaurants, schools, canteens, etc.
- 20 SWG exterior body, 22 SWG interior tank.
- 2.25" Puffed in place "Zero ODP" urethane insulation.
- Product with various water storage capacities is available.
- Shelves of glass or stainless steel are optional.
- Independent on/off compressor switch.
- Static cooling technology with thermostat.

ITEM CODE	DIMENSIONS	COOLING CAPACITY	STORAGE CAPACITY	POWER CONSUMPTION
VIE-511-40/80	22"x22"x48"	40 Ltrs	80 Ltrs	430 W
VIE-511-60/120	24"x24"x56"	60 Ltrs	120 Ltrs	680 W
VIE-511-150/150	24"x24"x60"	150 Ltrs	150 Ltrs	1300 W
VIE-511-150/300	26"x26"x65"	150 Ltrs	300 Ltrs	1300 W
VIE-511-200/250	28"x28"x65"	200 Ltrs	250 Ltrs	1900 W
VIE-511-300/300	32"x32"x65"	300 Ltrs	300 Ltrs	2100 W



ICE MAKER

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
VIE-507C-25	30" x 20" x 24"	25 KG/day	8.0 KW/day
VIE-507C-50	30" x 27" x 30"	50 KG/day	11.0 KW/day
VIE-507C-100	40" x 27" x 64"	100 KG/day	16.5 KW/day



AMBIENT BAIN MARIE

ITEM CODE	DIMENSIONS	GN PANS
VIE-517	32" x 27" x 26"	1/6 X 4" - 8pcs, 1/3 X 4" - 6pcs.

* Temperature Range May Vary Depending on the External Conditions.


* Sizes can be customized according to the customer requirement.



REFRIGERATED SHOWCASE

TECHNICAL FEATURES	VIE-RHS-150A	VIE-RHS-250A
Dimension(mm) LxBxH	2000 x 890 x 2030	2615 x 890 x 2030
Net weight kg	347	412
Capacity (gross/net) Ltrs	1570/698	2095/845
Operating Climate	3/25/60	3/25/60
Product Temp. (C)	+1/+10	+1/+10
Defrosting	Ferm.Compr./ Stop Compr.	Ferm.Compr./ Stop Compr.
Supply (v/ph/Hz)	230/1/50	230/1/50
Electrical input Standard	2600/12.8	4100/21
Electrical input Defrosting	1050/5.2	1700/8.4

TECHNICAL FEATURES	WALK-IN-CHILLER VIE-CR-950	WALK-IN-FREEZER VIE-CR-950
Dimension (mm)	3000x2400x2500	3000x2400x2500
Tempt	+2°C to 10°C	-18°C to -20°C
Pull down time	24 Hrs.	24 Hrs.
Puff insulation	60 mm	100 mm
Cooling capacity	15000BTUS/HR	7000BTUS/HR
power conspt	2.5 kw	5.5 kw
Supply (v/ph/Hz)	230/1/50	230/1/50
Compressor	Copeland-Kirloskar/ Tecumseh	Copeland-Kirloskar/ Tecumseh



COLD ROOM

* Sizes can be customised according to the customer requirement.

* Temperature Range May Vary Depending on the External Conditions.

COLD Equipments

**Don't Get Caught With
Cold Feet!**

Chilled environment is vital and our product promises to make your kitchen really hot! Give a little secret to your kitchen where food can be preserved in the best manner possible. Check out the range and make yourself believe it.

